## The Village of Tequesta Schedule of Department Requested Roll Forward Funding from Fiscal Year 2015 into Fiscal Year 2016 "Schedule A"

			General Fund					
GL Account #	<u>PO #</u>	<u>Vendor</u>	<u>Description</u>	Original Encumbrances		Outstanding Encumbrances as of 09/30/15		Funds to Roll Forward as Requested by Departments
GENERAL FUN	D # 001							
001-192-664.600	3227	TEAM EQUIPMENT	STREAMLINE POWER UNIT & ACCESS	\$	10,978.00	\$	10,978.00	\$ 10,978.00
				Storm Water Fund Total:				\$ 10,978.00
			Total Roll Forward Reques	t for	Non-Encur	nbei	ed Funds:	\$ 10.978.00

			Capital Improvement Fund						
GL Account #	<u>PO #</u>	<u>Vendor</u>	<u>Description</u>	<u>En</u>	Original cumbrances	Enc	tstanding umbrances of 09/30/15		Funds to Roll Forward as Requested by Departments
CAPITAL IMPR	OVEME	NT FUND # 301							
301-371-663.657	3170	TREASURE COAST REGIONAL	UPGRADES TO TEQUESTA US1	\$	80,000.00	\$	8,000.00	\$	8,000.00
					Storm	Water	Fund Total:	\$	8,000.00
			Total Roll Forward Reg	uest for	Non-Encur	nhore	od Eunder	¢	8 000 00

			Water Fund							
GL Account # PO # Vendor		<u>Vendor</u>	<u>Description</u>		Original Encumbrances		Outstanding Encumbrances as of 09/30/15		Funds to Roll Forward as Requested by Departments	
WATER FUND #	<u> 401</u>									
401-241-531.302	3088 ARCAD	IS	TEQUESTA DRIVE WATER MAIN REPLACEMENT	\$	76,500.00	\$	13,770.00	\$	13,770.00	
401-242-546.303	3239 JACOB	S AIR WATER SYSTEMS	INSTALL REVERSE OSMOSIS	\$	38,570.00	\$	38,570.00	\$	38,570.00	
401-242-546.320	3235 INTEGR	RATION SERVICES INC	PROGRAM (2) SCADA COMPUTERS	\$	16,614.00	\$	16,614.00	\$	16,614.00	
401-242-546.343	3169 CENTE	RLINE DRILLING INC	REMOVE SUB PUMP, WELL AND CASING	\$	42,450.00	\$	25,470.00	\$	25,470.00	
401-411-549.671	3220 CROM	ENGINEERING SERVICES	DIVE INSPECTION (3) WATER TANKS	\$	16,050.00	\$	4,013.00	\$	4,013.00	
401-411-664.601	3237 FL TEC	HNICAL CONSULTANTS	CMMS SYSTEM	\$	22,400.00	\$	12,680.00	\$	12,680.00	
						Wate	er Fund Total:	\$	111,117.00	

Grand Total Roll Forward Requests: \$ 130,095.00